
















## T38 (1 1/2")

Boca Roscada	Tipo de Botón	Barrido				Diám. Botón				Angulo Ataque	Dimensiones		Peso Aproximado	
		Frontal		Lateral		Frente		Perímetro			mm	Ins	Kg	lb
		No.	mm	No.	mm	No.	mm	No.	mm					
Standard 	Redondo	1	10	3	6	3	11	6	13	35	64	2 1/2	1.70	3.74
	Balístico	2	11			4	12	6	13	35	76	3	2.90	6.38
Standard 	Redondo	2	10			4	10	8	11	35	64	2 1/2	1.70	3.74
	Balístico	2	10			4	10	8	11	35	64	2 1/2	1.70	3.74
	Redondo	2	11			6	11	8	11	35	76	3	2.30	5.06
	Parabólico	2	11			6	11	8	11	35	76	3	2.30	5.06
	Balístico	2	11			6	11	8	11	35	76	3	2.30	5.06
Standard 	Balístico	2	11			4	13	7	13	35	89	3 1/2	3.90	8.58
Standard 	Redondo	3	8			4	10	6	11	35	64	2 1/2	1.41	3.10
	Redondo	3	7			3	11	6	12	35	64	2 1/2	1.70	3.74
	Parabólico	3	7			3	11	6	12	35	64	2 1/2	1.70	3.74
	Balístico	3	8			4	10	6	11	35	64	2 1/2	1.80	3.96
	Balístico	3	7	1	8	3	11	6	12	35	64	2 1/2	1.70	3.74
	Redondo	3	8			4	10	6	11	35	70	2 3/4	2.04	4.49
	Parabólico	3	8			4	10	6	11	35	70	2 3/4	2.04	4.49
	Balístico	3	8			4	10	6	11	35	70	2 3/4	2.04	4.49
	Redondo	3	10			4	11	6	11	35	76	3	2.31	5.08
Standard 	Redondo	3	9			4	11	7	12	35	76	3	2.10	4.62
	Parabólico	3	9			4	11	7	12	35	76	3	2.10	4.62
	Balístico	3	9			4	11	7	12	35	76	3	2.10	4.62
Standard 	Redondo	3	10			6	10	9	11	35	89	3 1/2	2.50	5.50
	Redondo	3	10			7	12	9	12	35	105	4	4.50	9.90





## T38 (1 1/2")

Boca Roscada	Tipo de Botón	Barrido				Diám. Botón				Angulo Ataque	Dimensiones		Peso Aproximado	
		Frontal		Lateral		Frente		Perímetro			mm	Ins	Kg	Ib
		No.	mm	No.	mm	No.	mm	No.	mm					
Standard 	Balístico	2	14			6	12	8	13	35	102	4	3.90	8.58
Standard 	Redondo	4	9			5	12	8	13	35	89	3 1/2	3.22	7.08
	Balístico	4	10			5	13	8	14	35	95	3 3/4	3.90	8.58
	Redondo	4	10			5	13	8	14	35	102	4	4.08	8.98
Heavy Duty 	Redondo	2	9	2	8	4	11	8	12	35	64	2 1/2	1.60	3.52
	Redondo	2	9	2	8	4	11	8	12	35	70	2 3/4	1.95	4.29
	Redondo	2	11	2	8	4	11	8	13	35	76	3	2.44	5.37
	Redondo	2	13	2	8	5	13	8	14	35	89	3 1/2	3.50	7.70
	Redondo	2	10	2	8	6	12	8	14	35	89	3 1/2	3.68	8.11
	Redondo	2	10	1	8	5	12	7	14	35	89	3 1/2	3.68	8.11
	Redondo	2	13	2	8	6	13	8	14	35	95	3 3/4	5.20	11.44
	Redondo	2	13	2	9	6	13	8	14	35	102	4	4.31	9.48
Retrac 	Redondo	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
	Parabólico	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
	Balístico	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
Retrac 	Redondo	2	11	1	7	6	10	8	11	35	76	3	3.20	7.04
	Balístico	2	11	1	7	6	10	8	11	40	76	3	3.20	7.04
Drop Center 	Redondo	3	8			4	10	6	11	35	64	2 1/2	1.36	2.99
	Parabólico	3	8			4	10	6	11	35	64	2 1/2	1.36	2.99
	Balístico	3	8			4	10	6	11	35	64	2 1/2	1.36	2.99
	Redondo	3	8			4	10	6	11	35	70	2 3/4	2.04	4.49
	Redondo	3	10			4	11	6	12	35	76	3	2.60	5.72
	Balístico	3	10			4	11	6	12	35	76	3	2.22	4.88
Drop Center 	Redondo	4	7			6	10	8	11	30	76	3	2.30	5.06
	Balístico	4	8			6	10	8	11	35	76	3	2.30	5.06
	Parabólico	4	9			5	12	8	13	35	89	3 1/2	3.50	7.70
	Balístico	4	9			5	12	8	13	35	89	3 1/2	3.17	6.97
	Redondo	4	10			5	12	8	14	35	102	4	5.40	11.88





## T38 (1 1/2")

Boca Roscada	Tipo de Botón	Barrido				Diám. Botón				Angulo Ataque	Dimensiones		Peso Aproximado	
		Frontal		Lateral		Frente		Perímetro			mm	Ins	Kg	lb
		No.	mm	No.	mm	No.	mm	No.	mm					
DC Retrac 	Redondo	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
	Parabólico	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
	Balístico	3	8	1	7	4	10	6	11	35	64	2 1/2	2.90	6.38
	Redondo	3	10	1	7	4	11	6	12	35	76	3	3.26	7.17
	Balístico	3	10	1	7	4	11	6	12	35	76	3	2.70	5.94
DC Retrac 	Redondo	4	7	1	7	4&1	11&10	8	11	35	76	3	3.20	7.04
	Balístico	4	7	1	7	4&1	11&10	8	11	35	76	3	3.20	7.04
	Redondo	4	9	1	8	5	12	8	13	35	89	3 1/2	5.50	12.1
	Balístico	4	9	1	8	5	12	8	13	35	89	3 1/2	5.50	12.1
	Balístico	4	8	1	8	4&2	11&9	8	11	35	89	3 1/2	4.60	10.1
	Balístico	4	9	1	8	5	12	8	13	35	95	3 3/4	5.50	12.1
	Balístico	4	8	1	8	4&2	11&10	8	11	35	95	3 3/4	5.20	11.4
	Redondo	4	10	1	10	5	13	8	14	35	102	4	6.91	15.2
	Balístico	4	10	1	10	5	13	8	14	35	102	4	6.90	15.1
	Balístico	4	10	1	10	6	11	8	12	35	105	4	6.80	14.9
Retrac 	Placa	1	7.5	2	7.5						64	2 1/2	2.85	6.27
Standard 	Placa	1	8	2	8						64	2 1/2	2.05	4.51
	Placa	1	7.5	2	7.5						70	2 3/4	2.40	5.28
	Placa	1	7.5	2	7.5						76	3	2.60	5.72
	Placa	1	7.5	4	7.5						89	3 1/2	4.00	8.80

